



Complete modular system for voice evacuation **METCUBE**, certified to **EN 54-16**, enclosed in a compact unit including power supply, control system, selective microphone. Configuration, management, monitoring, via LAN network, using the software [COMETA](#). Free download [control App](#) for sound diffusion also available. It fulfills all the EVAC requests, further adding useful features as multiroom functionality (for music and speech broadcasting) and interfaceability with the other external systems.

- **EN54-16 certified**

- Available in 2 version: up to **4 zones** or up to **8 zones**
- Expandable up to 540 W total wattage (1000W vocal), up to 8+1 power amplifiers (not included)
- Each amplifier drives a single speakers line
- *Optional interfaces available for A-B double line ([MET4SC](#) o [MET8SC](#))*
- Built-in microphone and pre recorded messages, activatable from the front panel or remotely
- Possibility of sending messages / calls simultaneously on multiple zones
- 4 analog AUX monitored inputs
- 8 analog AUX not-monitored inputs (**8 zones version only**)
- Monitored trigger inputs for activating events (alarm, evacuation, etc) from the fire

alarm central unit or other devices (8 on the 4 zones version; 16 on the 8 zones version)

- Compact unit **complete with battery charger EN54-4 compliant and compartment for 2 batteries** (up to 42 Ah)
- USB connector for firmware upgrades and configurations
- SD card reader to store EVAC messages and messages linked to events
- Digital bus "**evac bus**" dedicated for emergency paging stations (eg. [METMC8C](#), [METMC1A](#))
- Bus "**remote bus**" for interfacing with zone audio controls (eg. [CZ830](#))
- RS232 serial port, Ethernet port
- Supports Modbus over TCP/IP
- Metallic case

Power supply: 230 Vac and 24 Vdc

Color: White (Ral 7035)

Dimensions: H 310 x W 432 x D 372 mm (7 RU)

Weight: 12.5 kg (without batteries and amplifier)

Verfügbare Varianten

METCUBE4Z27

Kompakteinheit für 4 Einzelleitungen. 4 überwachte analoge Audio-Hilfseingänge + 2 digitale Audio-Streaming-Eingänge. 8 überwachte "Trigger-Eingänge" für die Auslösung von Ereignissen. 2x27Ah-Akkus.

METCUBE4Z18

Kompakteinheit für 4 Einzelleitungen. 4 überwachte analoge Audio-Hilfseingänge + 2 digitale Audio-Streaming-Eingänge. 8 überwachte "Trigger-Eingänge" für die Auslösung von Ereignissen. 2x18Ah-Akkus.

METCUBE4Z42

Kompakteinheit für 4 Einzelleitungen. 4 überwachte analoge Audio-

Hilfseingänge + 2 digitale Audio-Streaming-Eingänge.
8 überwachte "Trigger-Eingänge" für die Auslösung von Ereignissen.
2x42Ah-Akkus.

METCUBE8Z27

Kompakteinheit für 8 Einzelleitungen. 4 überwachte analoge Audio-Hilfseingänge + 8 nicht überwachte analoge Audio-Hilfseingänge + 2 digitale Audio-Streaming-Eingänge. 16 überwachte "Trigger-Eingänge" für die Auslösung von Ereignissen.
2x27Ah-Akkus.

METCUBE8Z42

Kompakteinheit für 8 Einzelleitungen. 4 überwachte analoge Audio-Hilfseingänge + 8 nicht überwachte analoge Audio-Hilfseingänge + 2 digitale Audio-Streaming-Eingänge. 16 überwachte "Trigger-Eingänge" für die Auslösung von Ereignissen.
2x42Ah-Akkus.

METCUBE8Z

Whithout batteries

METCUBE4Z

Whithout batteries